

**FLOOR<sup>®</sup>  
EXPERTS**

*Relax. We have it.*

**Winflex.**

VINYL - LVT, SPC



# Winflex

**WINFLEX**<sup>®</sup> vinyl flooring unites the two most desirable characteristics of floorings: beauty and durability. It presents a floor that is unbelievably durable and at the same time attractive in form, appearance and texture. Specially selected wood patterns that come to life in these numerous styles appear very realistic; this can be made to happen by uniting the newest achievements in technology, imitation of appearance, wood texture and surface protection.

**WINFLEX**<sup>®</sup> **SPC** vinyl flooring represents a new generation in the group of PVC flooring. Its unique durable SPC core ensures an up to 3x greater stability of plates and higher resistance to impact. High density and small dimensions indicate that they are very suitable for floor heating. Click design of the feathers enables a simple and quick installation without the necessity for adhesive use.

New **WINFLEX**<sup>®</sup> **SPC** flooring offers new, more realistic decoration, which follows global trends in flooring design.


Beauty and durability of the product goes hand in hand with the simplicity of installation.



**FLOOR<sup>®</sup>  
EXPERTS**


*Relax. We have it.*

GRANDE  
PRO CLICK  
PRO CLICK - STONE  
STAR  
PRO  
HOME  
DOMESTIC  
STABILO  
RIGID  
CLASSIC



### PVC - system

1. UV Coating
2. Wear layer
3. PVC decor film
4. Middle material layer
5. Bottom layer




### PVC - clic system

1. UV Coating
2. Wear layer
3. PVC decor film
4. Middle material layer
5. Fiber glass layer
6. Middle material layer
7. Bottom layer
8. Unilin lock


## Product specification

Characteristics	Standards	Requirements	Result PVC	Result SPC
Phtalate tests	EN 14372:2004	N/A	Free	Free
Light stability	ISO B02:1994	N/A	Grade 6	Grade 6
Dimension stability	EN 434	< 0,25%	x = direction: 0,13%, y = direction: 0,12%	x = direction: 0,04%, y = direction: 0,06%
Resistance to chemicals	EN 374	No more than slight change in surface dulling, surface attack, or staining.	No change in surface dulling, surface attack, or staining was detected.	No change in surface dulling, surface attack, or staining was detected.
Castor Chair resistance	EN 425	N/A	After 25000 cycles no visible damage	After 25000 cycles no visible damage
Abrasion resistance	EN 13329	N/A	0,5 mm wear layer W33/42 0,3 mm wear layer W23/31	0,5 mm wear layer W33/42 0,3 mm wear layer W23/31
Pentachlorophenol (PCP)	CEN/TR 14823:2003	N/A	N/A	N/A
Formaldehyde emission	EN 717-1:2004	E1 < 0,124 mg/m <sup>3</sup>	E1	E1
Fire resistance	EN 13501-1	N/A	Bfl-s1	Bfl-s1
Slip resistance	EN 13893:2003	$\mu > 0,3$	$\mu = 0,36$ Class DS, R10	$\mu = 0,36$ Class DS, R10
Squareness	ASTM F2055-17	< 0,25/305 mm	Max = 0,05 mm/180 mm Max = 0,1 mm/1220 mm	Max = 0,05 mm/180 mm Max = 0,1 mm/1220 mm
Thermal conductivity	EN14234	N/A	$\lambda = 0,14$ W/(mK)	$\lambda = 0,114$ W/(mK)



**SPC - Rigid, Classic clic system**

- 1. UV Coating
- 2. Wear layer
- 3. PVC decor film
- 4. SPC layer
- 5. IXPE layer 1 mm



**SPC - Stabilo clic system**

- 1. UV Coating
- 2. Wear layer
- 3. PVC decor film
- 4. Middle SPC layer
- 5. Glue film
- 6. SPC layer
- 7. Cork layer 2 mm

**CLICK SYSTEM**



**EASY TO INSTALL:**  
WINFLEX® click system allows you easy installation.

**V-GROOVE**



**V-GROOVE:**  
Bevelled edges contributes to the natural look of the floor and makes for harmonious and stylish whole.

**PU LAYER**




**PU PROTECTION LAYER:**  
WINFLEX® planks have surface protected with polyurethane layer, which protects the floor from scratches and dirt.

**EASY TO CARE**



**EASY TO MAINTAIN:**  
Thanks to PU protective layer, the floors are extraordinary easy to maintain.



**WATER-REPELLENT:**  
because of their unique composition, WINFLEX® planks are water-repellent. Thus, they are also suitable for bathroom, kitchen and laundry room.

**STABILITY**




**DIMENSION STABILITY:**  
WINFLEX® Pro Click and Grande planks have layer of fibreglass, which increases dimension stability. Shrinkage is below 0,25%, which is according to EU standards.

**ECO**



**ECO-FRIENDLY FLOORS:**  
WINFLEX® planks are made according to technology, which follows ecological trends. Planks do not contain phthalate and they passed antibacterial tests.

**VOC TEST A+**





5G



W33/42

**GRANDE**

Oak Arlington



1044 OAK ENGELBERG



1031 OAK ARLINGTON



1035 OAK CHATEAU



1034 OAK LION



1030 OAK AMMERSEE



1045 OAK BOURBON



1032 OAK ORLEANS



1033 OAK SHIRE



1046 OAK ENIGMA



1047 OAK MONASTERY



**GRANDE:**  
1522 x 245 x 5,0/0,55 mm



Oak Monastery



W33/42

**PRO CLICK**

Oak Weathered





1019 OAK SAN FRANCISCO



1029 OAK LAKELAND



1014 OAK WEATHERED



1011 OAK NEVADA



1020 OAK NORTHLAND



1015 OAK RENAISSANCE



1018 OAK EXCELSIOR



1016 OAK HERMITAGE



1023 OAK HARBOUR



1013 OAK OLD FRENCH




1010 WALNUT LA PAZ



1017 OAK WELLINGTON

**PRO CLICK:**

1220 x 177,8 x 4,2/0,55 mm



Oak Wellington



W33/42

# PRO CLICK - STONE

Stone White



1024 STONE WHITE



1026 STONE MARBLE



1028 ANTIQUE WHITE



1027 ANTIQUE GREY



1025 STONE CONCRETE



1058 STONE BLACK



Stone Antique Grey

**PRO CLICK - STONE:**  
610 x 305 x 4,2/0,55 mm





W33/42

**STAR**

Walnut Mansonia



1039 OAK STRASSBOURG



1036 OAK SALT LAKE



1042 OAK ALBERTA



1037 OAK VALLEY



1040 OAK SHANNON



1038 OAK CORDOBA



1043 OAK LA MANCHA



1041 WALNUT MANSONIA



**STAR:**

1210 x 169 x 4,3/0,50 mm



Oak Cordoba



W33/42  
**PRO**

Oak Lounge



1021 OAK RUGGED



1022 PINE FOREST



1011 OAK NEVADA



1020 OAK NORTHLAND



1012 OAK LOUNGE



1009 OAK BURGUNDY



1007 OAK ROBINSON



1008 OAK ZERMAT



1010 WALNUT LA PAZ



1026 STONE MARBLE\*



1025 STONE CONCRETE\*

**PRO:**

1227 x 187 x 2,5/0,55 mm  
609,6 x 304,8 x 2,5/0,55 mm\*



Walnut La Paz



W31/23  
**HOME**

Oak Polar





1005 OAK POLAR



1003 OAK AMIENS



1002 PINE CANADIAN



1020 OAK NORTHLAND



1001 OAK BLEACHED



1006 OAK TITANIUM



1004 OAK WINDSOR



**HOME:**

914 x 152 x 2,0/0,30 mm



Pine Canadian



W31/23

**DOMESTIC**

Oak Sedan



1049 OAK SEDAN



1053 OAK COLORADO



1055 PINE STERLING



1054 OAK ACHENSEE



1050 OAK PROVINCIAL



1048 OAK CRAFT



1057 STONE BEIGE\*



1052 OAK MODENA



1056 OAK BARCELONA



1051 OAK KNOXVILLE



**DOMESTIC:**

1221 x 180 x 4,0/0,30 mm

609,6 x 304,8 x 4,0/0,30 mm\*



Stone Beige



5Gi



W33/42

**STABILO**

Oak Boulder



1075 OAK COFFEE HOUSE



1069 OAK ST. MORITZ



1068 OAK ASIAN



1073 OAK GREENLAND



1074 OAK DEL TORO



1071 OAK GOSSAMER



1077 OAK BOULDER



1076 OAK ROCK RIDGE



1072 OAK COTTAGE



1070 OAK RELIC



1078 STONE CROSSTOWN\*



1079 STONE MUSTANG\*

**STABILO:**

1220 x 180 x 6,0/0,55 mm  
610 x 305 x 6,0/0,55 mm\*



Oak Asian



**RIGID**

W33/42

Oak Bedrock



1062 OAK ATLAS



1061 OAK REYKIAVIK



1063 OAK SAN DIEGO



1060 OAK HAYFIELD



1059 OAK HARLECH



1066 OAK CASTLE



1065 OAK CALYPSO



1064 OAK BEDROCK



1117 STONE HELIA\*



1092 STONE SLATE\*\*



1093 STONE GRAPHITE\*\*

**RIGID:**

1220 x 180 x 5,0/0,55 mm

914 x 457 x 5,0/0,55 mm\*\*

1220 x 125/180 /305 x 5,0/0,55 mm\*



Oak Atlas



W31/23

**CLASSIC**

Oak Rhine





1095 OAK VOLGA



1096 OAK DANUBE



1094 OAK LOIRE



1098 OAK EBRO



1097 OAK WISLA



1099 OAK TIBER



1103 OAK SEINE



1102 OAK THAMES



1104 OAK MOSELLE



1100 OAK RHINE



1101 OAK ELBE



1105 STONE MISSISSIPPI\*



1106 STONE NILE\*

**CLASSIC:**

1221 x 182 x 5,0/0,3 mm

914 x 457 x 5,0/0,3 mm\*





LVT (PVC)	<b>GRANDE</b>	10 YEAR DOMESTIC	5 YEAR COMMERCIAL			W33/42	5G
	<b>PRO CLICK</b>	10 YEAR DOMESTIC	5 YEAR COMMERCIAL			W33/42	CLIC
	<b>PRO CLICK - STONE</b>	10 YEAR DOMESTIC	5 YEAR COMMERCIAL			W33/42	CLIC
	<b>STAR</b>	10 YEAR DOMESTIC	5 YEAR COMMERCIAL			W33/42	CLIC
	<b>PRO</b>	10 YEAR DOMESTIC	5 YEAR COMMERCIAL			W33/42	
	<b>HOME</b>	10 YEAR DOMESTIC	3 YEAR COMMERCIAL			W31/23	
	<b>DOMESTIC</b>	10 YEAR DOMESTIC	3 YEAR COMMERCIAL			W31/23	CLIC

SPC	<b>STABILO</b>	10 YEAR DOMESTIC	5 YEAR COMMERCIAL			W33/42	5Gi
	<b>RIGID</b>	10 YEAR DOMESTIC	5 YEAR COMMERCIAL			W33/42	CLIC
	<b>CLASSIC</b>	10 YEAR DOMESTIC	3 YEAR COMMERCIAL			W31/23	CLIC



**GRANDE:** 1522 x 245 x 5,0/0,55 mm



**PRO CLICK:** 1220 x 177,8 x 4,2/0,55 mm



**PRO CLICK - STONE:** 610 x 305 x 4,2/0,55 mm



**STAR:** 1210 x 169 x 4,3/0,50 mm



**PRO:** 1227 x 187 x 2,5/0,55 mm



**PRO - STONE:** 609,6 x 304,8 x 2,5/0,55 mm



**HOME:** 914 x 152 x 2,0/0,30 mm



**DOMESTIC:** 1221 x 180 x 4,0/0,30 mm



**DOMESTIC - STONE:** 609,6 x 304,8 x 4,0/0,30 mm



**STABILO:** 1220 x 180 x 6,0/0,55 mm



**STABILO - STONE:** 610 x 305 x 6,0/0,55 mm



**RIGID:** 1220 x 180 x 5,0/0,55 mm



**RIGID - STONE:** 914 x 457 x 5,0/0,55 mm



**RIGID - STONE:** 1220 x 125/180 /305 x 5,0/0,55 mm



**CLASSIC:** 1221 x 182 x 5,0/0,3 mm



**CLASSIC - STONE:** 914 x 457 x 5,0/0,3 mm





**FLOOR<sup>®</sup>  
EXPERTS**

*Relax. We have it.*

0719

The images in this brochure are only indicative of the appearance you can achieve and the floor may look different to the samples. Consequently, we suggest you visit your supplier to view the larger display boards which will give a better indication.

**Alpod d.o.o.**  
Podskrajnik 112 | SI-1380 Cerknica  
T. +386 1 707 14 00 | F. +386 1 707 14 20  
info@floor-experts.si

[www.Floor-Experts.com](http://www.Floor-Experts.com)